
DRAFT Ecological risk assessment conceptual site model for the Portland Harbor Superfund Site For internal discussion. Do not distribute.



Definitions for Pathway Designation Portland Harbor NRDA

DEFINITIONS

Complete

A complete pathway means there is a potential for a contaminant to reach a receptor via the proposed route.

Incomplete

An incomplete pathway means there is no potential for a contaminant to reach a receptor via the proposed route.

Significant

A significant pathway means there is a high likelihood that a contaminant can reach effect levels via the proposed route.

Insignificant

An insignificant pathway means there is a low likelihood that a contaminant can reach effect levels via the proposed route.

Significance Unknown

Significance unknown means that it is unknown that a contaminant could reach an effect level via the proposed route alone. However, the contaminant might contribute to effect levels when combined with other pathways or other contaminants.

CONDITIONS FOR PATHWAY AND SIGNIFICANCE COMBINATIONS

Complete and Significant

The following criteria should be met before the pathway of a contaminant should be considered complete and significant:

- The pathway is theoretically or potentially complete; pathway can be supported by the scientific literature.
- Both the receptor and the exposure media are known, based on site-specific information, or can reasonably be assumed to co-occur in Portland Harbor.
- The pathway has been shown to be a primary route of exposure for any life stage of a receptor or surrogate organism based on laboratory, field, or site-specific data, and contaminant concentrations can reach effect levels solely by the proposed route or pathway under evaluation.

For example, exposure of fish to dissolved metals via uptake through the gill, and exposure of fish-eating birds to PCBs by consuming contaminated prey.

Pathways that are complete and significant will be assessed quantitatively. For example, the concentration of metals measured in the water column will be compared to concentrations shown to cause adverse effects to fish (in the scientific literature) to calculate a hazard quotient. If information needed to calculate a hazard quotient is not available, the preference will be to collect the needed information. If the information cannot be collected, a conservative value will be used in the hazard quotient calculation.

Complete and significance unknown

A pathway should be classified as complete and significance unknown if it meets the following criteria:

• The pathway is theoretically or potentially complete; pathway can be supported by the scientific literature.

					Pla	nts			Aqua	tic Invertel	orates					Fish				Amphibians/ Reptiles		Bi	rds		Mammals
				Terrestrial Plants	Phytoplankton	Periphyton	Aquatic Plants	Zooplankton	Infauna	Epitauna	Macri	ofauna	Omnivore/ Herbivore		Carnivore		Pisci	vore	Detritivore	Amphibians	Pisci	vorous	Diving Carnivore	Sediment probing invertivore	Carnivore
Medium		Exposure Route	Organization								Shelfish	Crayfish	Largescale Sucker, Carp, Sturgeon	Sculpin	Peamouth	Juvenile Chinook Salmon	Smallmouth Bass	Northern Pikeminnow	Pacific Lamprey Ammoccoete	Frogs, Salamanders	Osprey	Bald Eagle	Hooded Merganser	Spotted Sandpiper	Mink
Air		Inhalation	EPA NOAA FWS DEQ Tribes All	x x x	x x x x	x x x x	x x x x	x x x x	x x x x	X X X X	x x x x	x x x x	x x x x	x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x i	x x i	x x i	x x i	x x i	x x i
беора		Ingestion	EPA NOAA FWS DEQ Tribes All	x x x x	X X X X	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	x x x x	i i ·	x x x i	x x x i	x i o i	X i •	i i o
		Dermal contact/Root Uptake	EPA NOAA FWS DEQ Tribes All	o i x	X i X X	x • • x	x • • x	x • i x	x • • x	x • • x	x • • • X	x • • • x	x • • • • x	x • • x	x i o x	x i o x	x 0 0 x x	x i o x	x • • • x	0	i i x i	i i x i	i • i •	•	• • • •
		Distany	NOAA FWS DEQ Tribes	X X X X	X X X X	x x x x	X X X X	x o i x	x • • x	x • • •	x 0 x x	x 0 x x	x • • x x	x • • x x	X i o x x	i o x x	x 0 0 x x	X i o X	x • • x x	• • • • • • • • • • • • • • • • • • •	0 0 X X	0 0 X X	0 0 X X	0 0	• • • • • • • •
Williametia Florer Surface Walter	•	Ingestion	EPA NOAA FWS DEQ Tribes All	x x x x	x x x x x	x x x	X X X	x x x	x x x	X X X	X X X	X X X	i x x	i X X	i x x	i x x	i x x	i X X	i X X	-	i	i i		-	i i
	•	Dermal contact	EPA NOAA FWS DEQ Tribes All	x i i x	•	•	x x	•	•	:	:	:	•	•	•	•	•	•	•	• • • •	i i o	i i o	i i o	i i o	i i o
		Distany	EPA NOAA FWS DEQ Tribes All	X X X X	X X X X	x x x x	x x x x	0 0	0	0	0	0 0	•	•	•	•	•	•	•	•	•	•	•	•	•
Transition Ziron Water	,	Ingustion	EPA NOAA FWS DEQ Tribes All	x x x x	X X X X	x x x o	x x x	x x x o	о х х •	x x x	X X X	x x x o	i x x o	i x x	i x x x	i x x x	i x x x	i X X X	i X X	X i i X	X X X X	x x x x	x i i x	x i i x	x i i x x
		mail contact or root up	EPA NOAA FWS DEQ Tribes All EPA	x x x	x • • x	× • • • • • • • • • • • • • • • • • • •	•	i i o	•	•	•	•	× • • • • • • • • • • • • • • • • • • •	•	x i i x	X i i X X	x i i x x	x i i x	•	• • • X	X X X X	x x x x	x i i x	X i i X	x i i x
		Distany	NOAA NOAA DEQ Tribes All	x x x x	X X X X	x x x x	x x x x	i i i	0 0 0	0 0 0	0 0	0 0	•	•	0 0	0	•	0 0	•	•	•	•	•	•	•
Piperine Partners Melov and CHVI)		Ingestion	EPA NOAA FWS DEQ Tribes All	x	x	x	x	x	x	x	x	x	-	i		-	-	i	-	i	i	-	i	-	i
		Dentral Contact Root Uptaka	EPA NOAA FWS DEQ Tribes All	•	X	x	x	x	x	×	x	i	-	•	-	i	-	-	-	o	x	i	-		i
		Clerary	EPA NOAA FWS DEQ Tribes	x	x	x	x	x	x	x i	x	0	i	i	i	i	i	i	i	•	i	i	-	•	•